



CARE INSTRUCTIONS

KAISER PERMANENTE

Ankle Sprain: Exercises

Your Kaiser Permanente Care Instructions

Here are some examples of typical rehabilitation exercises for your condition. Start each exercise slowly. Ease off the exercise if you start to have pain.

Your doctor or physical therapist will tell you when you can start these exercises and which ones will work best for you.

How to do the exercises

"Alphabet" exercise



© Healthwise, Incorporated

1. Trace the alphabet with your toe. This helps your ankle move in all directions.


Ankle Sprain: Exercises (page 2)

Side-to-side knee swing exercise



1. Sit in a chair with your foot flat on the floor.
2. Slowly move your knee from side to side while keeping your foot pressed flat.

Towel curl



1. While sitting, place your foot on a towel on the floor, and scrunch the towel toward you with your toes.
2. Then use your toes to push the towel away from you.
3. Make this exercise more challenging by placing a weighted object, such as a soup can, on the other end of the towel.

Ankle Sprain: Exercises (page 3)

Towel stretch



1. Sit with your legs extended and knees straight.
2. Place an elastic band or towel around your foot just under the toes. A towel will give you a more effective stretch.
3. Hold each end of the towel or band in each hand, with your hands above your knees.
4. Pull back with the towel or band so that your foot stretches toward you.
5. Hold the position for at least 15 to 30 seconds.
6. Repeat 2 to 4 times a session, up to 5 sessions a day.


Ankle eversion exercise



1. Start by sitting with your foot flat on the floor and pushing it outward against an immovable object such as the wall or heavy furniture.
2. After you feel comfortable with this, try using rubber tubing looped around the outside of your feet for resistance. Rubber tubing, also called surgical tubing, is like a big rubber band. When held firmly on one end, it offers resistance as you stretch the other side.

Ankle Sprain: Exercises (page 4)

Isometric opposition exercises



1. While sitting, put your feet together flat on the floor.
2. Press your injured foot inward against your other foot.
3. Then place the heel of your other foot on top of the injured one. Push down with the top heel while trying to push up with your injured foot.

Follow-up care is a key part of your treatment and safety. Be sure to make and go to all appointments, and call your doctor if you are having problems. It's also a good idea to know your test results and keep a list of the medicines you take.

Where can you learn more?

Go to <http://www.kp.org>

Enter X002 in the search box to learn more about **"Ankle Sprain: Exercises"**.

© 2006-2010 Healthwise, Incorporated. Care instructions adapted under license by Kaiser Permanente. This care instruction is for use with your licensed healthcare professional. If you have questions about a medical condition or this instruction, always ask your healthcare professional. Healthwise disclaims any warranty or liability for your use of this information.